

47800



3PN

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : PATENT
Bernd Hansen :
Serial No.: 10/517,204 : Art Unit: 1722
Filed: December 8, 2004 : Examiner: R. B. Davis
For: **PRODUCTION DEVICE** :

REQUEST TO WITHDRAW HOLDING OF ABANDONMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the February 21, 2008 Notice of Abandonment, Applicant requests withdrawal of the holding of abandonment under 37 C.F.R. §1.181 since Applicant timely filed a response to the September 27, 2007 Notice to Correct Application Papers and since that Notice to Correct Application Papers was incorrect.

Enclosed is a copy of a Response filed on October 3, 2007, as evidenced by the enclosed postcard receipt. Since the Response was timely filed, the holding of abandonment is improper.

Additionally, the Notice was incorrect since the drawings filed on December 8, 2004 with the original application do not show solid or broken lines that are intended to be part of the drawings. The Notice appears to incorrectly refer to drawings that form a part of the marked-up copy of the substitute specification filed on June 5, 2005 and were not filed as substitute drawings.

In view of the apparent loss of the Response and the incorrectness of the September 27, 2007 Notice, Applicant requests that the holding of abandonment be withdrawn and the patent term adjustment 270 days in this application not be reduced.

No fee is believed to be required with this request. If any fee is necessary, the Commissioner is hereby authorized to change any such fee to deposit account 18-2220.

Prompt and favorable action is solicited.

Respectfully submitted,



Mark S. Biols
Reg. No. 28,770

Dated: February 25, 2008

Roylance, Abrams, Berdo & Goodman, LLP
1300 19th Street, NW, Suite 600
Washington, DC 20036
(202) 659-9076




Due Date November 26, 2007

USSN/USP 10/517,204

In Re Bernd HANSEN

For PRODUCTION DEVICE



Today's Date October 3, 2007

RAB&G File No.: 47800 By: MSB:kdg

The following was received in the U.S. Patent and Trademark Office on the date stamped hereon:

- Check for \$_____
- Substitute Specification
- Combined Decl., Petition & Power
- Assignment
- Replacement Drawings 4 Sheets Formal
- Small Entity Statement
- Claim for Priority & Document
- Information Disclosure Statement
- Trademark Application & Specimens
- Rule 53(b) Appln. Rule 53(d) Appln. CPA
- Amendment Response
- Notice of Appeal
- Brief Req. Oral Hearing
- Issue Fee Transmittal
- Trademark Renewal Application
- Decl. of Use 8 15
- Petition to Extend mos
- Completion of Application
- Notice to File Corrected Application Papers
-
- Due Date Not Related To Response

47800



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : PATENT
Bernd Hansen :
Serial No.: 10/517,204 : Art Unit: 1722
Filed: December 8, 2004 : Examiner: R. B. Davis
For: **PRODUCTION DEVICE** :

RESPONSE

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the September 27, 2007 Notice to File Corrected Application Papers, Applicant submits that this Notice is incorrect since the drawings filed on December 8, 2004 and shown in the United States Patent and Trademark Office image file wrapper do not show solid or broken lines that are not intended to be part of the drawings. The Notice appears to be incorrectly referring to drawings that form a part of a marked-up copy of a substitute specification filed on June 5, 2007 and that were not filed as substitute drawings.

In view of the incorrectness of the Notice, Applicant requests that the Notice be withdrawn and that the patent term adjustment of 270 days in this application not be affected.

As a precaution, Applicant submits herewith a set of replacement drawings that are copies of those filed with the original application.

Respectfully submitted,

Dated: October 3, 2007



Mark S. Bicks
Reg. No. 28,770

Roylance, Abrams, Berdo & Goodman, LLP
1300 19th Street, NW, Suite 600
Washington, DC 20036
(202) 659-9076